

## GYLON® Brown-White Style 3549

Lip Seal Material Dossier



Europe, Middle East and Africa

Leaders in Sealing Integrity

# Table of contents

SECTION 01	SUPPLIER INFORMATION & CONTACTS	03
SECTION 02	PRODUCT DESCRIPTION	03
SECTION 03	SHELF LIFE	03
SECTION 04	SAFETY DATA SHEET (SDS)	03
SECTION 05	TRANSMISSIBLE SPONGIFORM ENCEPHALOPATHIES (TSE) / BOVINE SPONGIFORM ENCEPHALOPATHY (BSE)	03
SECTION 06	RESTRICTED SUBSTANCE	03
SECTION 07	REACH SVHC	04
SECTION 08	ROHS STATUS	04
SECTION 09	CONFLICT MINERAL STATEMENT	04
SECTION 10	FOOD CONTACT STATEMENT	05
SECTION 11	USP STATEMENT	05



# GYLON<sup>®</sup> Brown-White Style 3549

For the special challenges in the food and pharmaceutical industry

Section 01 Name:	Supplier Information Garlock Sealing Technologies			
Address:	1666 Division Street Palmyra, New York 14522			
Main Phone:	315-597-4811			
Mail:	info@garlock.com			
Parent Company:	EnPro Industries			
Section 02 Product Name:	<b>Product Description</b> GYLON <sup>®</sup> Brown-White Style 3549 Lip Seal N	Material		
Description:	Abrasion Resistant Lip Seal Material for Food and Pharmaceutical			
Applications Color:	White / Tan			
Section 03	Shelf Life The shelf life is indefinite.			
Section 04 SDS is available at:	Safety Data Sheet (SDS) www.garlock.com SDS From GST Website			
Section 05 Section 06	<b>Transmissible Spongiform Encephalopathies (TSE) / Bovine Spongiform Encephalopathy (BSE)</b> GYLON® Brown-White Style 3549 Lip Seal Material contains no by-products of animal origin of specified risk ma- terial, or additives. No products of bovine origin are used in the manufacture of: GYLON® Brown-White Style 3549 Lip Seal Material; therefore there is no source for BSE or TSE materials or to contaminate our products. <b>Restricted Substance</b> GYLON® Brown-White Style 3549 Lip Seal Material is not formulated with any of following substances:			
	Arsenic	Mercury		
	Asbestos	Nonyl Phenol		
	Antimony	Polybrominated biphenyls (PBB)		
	Bisphenol A	Polybrominated diphenyl ethers (PBDE)		
	Cadmium	Perfluorooctanoic acid (PFOA)		
	Formaldehyde	Perfluorooctanesulfonic acid (PFOS)		
	Hexavalent Chromium	Resorcinol		
	Lead	Silicone		
	Melamine			



## GYLON® Brown-White Style 3549

### For the special challenges in the food and pharmaceutical industry

Section 07	REACH SVHC   Garlock Sealing Technologies has investigated the need to register this product and has determined that this product meets the definition of an article per the REACH legislation EC 1907/2006. Therefore, Garlock Sealing Technologies has no obligations for registration under the requirements of REACH.   GYLON® Brown-White Style 3549 Lip Seal Material does not contain any of the listed Substances of Very High Concern (SVHC) set forth by the European Chemicals Agency (ECHA) in decision ED/67/2008 on October 28, 2008 and updated on July 7, 2017.
	REACH Compliance Statements are available on the internet at https://www.garlock.com/en/technical- resources/ downloads. Select the Approvals and Certifications at drop down list of File Type and find the corresponding document.
Section 08	RoHS Status GYLON® Brown-White Style 3549 Lip Seal Material conforms to European Commission Directive (2011/65/EU) and does not contain more than 0.1% by weight of lead, mercury, hexavalent chromium, polybrominated biphe- nyls (PBB) or polybrominated diphenyl ethers (PBDE), and no more than 0.01% by weight of cadmium. REACH Compliance Statements are available on the internet at https://www.garlock.com/en/technical- resources/ downloads. Select the Approvals and Certifications at drop down list of File Type and find the corresponding document.
Section 09	Conflict Mineral Statement

Information available at: http://www.enproindustries.com/corporate-governance/conflict-minerals-compliance



### GYLON<sup>®</sup> Brown-White Style 3549

### For the special challenges in the food and pharmaceutical industry

Section 10

### **Food Contact Statement**

Food Contact Declaration Garlock GYLON® Brown-White Style 3549 Lip Seal Material Declaration of Compliance to Regulation (EC) No. 1935/2004 on Materials and Articles Intended to Come in Contact with Food:

GYLON® Brown-White Style 3549 Lip Seal Material may be used for repeated use in the production of all types of food contact up to 175°C as it complies with the regulatory and legislative requirements of (EC) No. 1935/2004 and the following:

- (EC) No. 2023/2006 on Good Manufacturing Practices (GMP) for Materials and Articles intended to come into contact with food;
- (EU) No. 10/2011 on Plastic Materials and Articles intended to come into contact with food. Overall migration testing was performed using simulant A (Ethanol 10%) and simulant B (3% Acetic Acid) at test conditions OM6 (four hours at reflux) and simulant D2 (Olive Oil) at test conditions OM7 (two hour at 175°C). The Surface Area to Volume (S/V) ratio used was 2 dm2 to 100 ml of test simulant;
- The monomer tetrafluoroethylene used in this product is subject to a specific migration limit of 0.5 mg/kg in food or food simulants;
- 4) Dual Use Additives subject to restrictions in food as defined in (EC) No. 1333/2008 and (EC) No. 1334/2008 are not used in the manufacture of this product.

Based on its composition it is unlikely that Garlock GYLON® Brown-White Style 3549 Lip Seal Material will bring about an unacceptable change in the composition of the food, or a deterioration of its organoleptic characteristics. Due to the wide range foods and operating conditions however it is the responsibility of the end user to determine suitability.

### Declaration of Compliance to U.S. Food and Drug Administration, Code of Federal Regulations, Title 21:

Garlock GYLON® Brown-White Style 3549 Lip Seal Material may be used for repeated contact with all food types under all conditions of use as they comply with relevant FDA requirements for food contact substances. Consistent with 21 CFR 174.5(d), each component is composed of substances that are either:

- 1) Listed or affirmed as Generally Recognized As Safe (GRAS) under 21 CFR Parts 182 or 184;
- 2) Covered by, and meeting all relevant specifications and other requirements in an indirect food additive regulation under 21 CFR Parts 175, 176, 177 and 178.

In accordance to GMP the food contact article shall be thoroughly cleaned prior to first use in contact with food.

**USP Statement** GYLON<sup>®</sup> Brown-White Style 3549 Lip Seal Material has met the requirements of USP <87> Biological Reactivity Tests, In Vitro; Elution Test, in accordance with USP 39-NF 34 through Second Supplement, Official December 1, 2016 to April 30, 2017.

GYLON® Brown-White Style 3549 Lip Seal Material has also met the requirements of USP <88> Biological Reactivity Tests, In Vivo in accordance with USP 40-NF 35, Official May 1, 2017 to July 31, 2017 for Class VI designation at a temperature extraction of 121°C for 1 hour.

Document No:			
Effective Date:			

Section 11

0302 11/1/2017



Note: Properties/applications shown throughout this brochure are typical. Your specific application should not be undertaken without independent study and evaluation for suitability. For specific application recommendations consult Garlock. Failure to select the proper sealing products could result in property damage and/or serious personal injury. Performance data published in this brochure has been developed from field testing, customer field reports and/or in-house testing. While the utmost care has been used in compling this brochure, we assume no responsibility for errors. Specifications subject to change without notice. This edition cancels all previous issues. Subject to change without notice GARLOCK is a registered trademark for packings, seals, gaskets, and other products of Garlock. @ Garlock Inc 2017. All rights reserved worldwide.

GARLOCK GMBH

an En<mark>Pro</mark> Industries family of companies

Falkenweg 1, 41468 Neuss, Germany Tel: +49 2131 349 0

www.garlock.com

Garlock Sealing Technologies GPT Garlock PTY Garlock do Brasil

Garlock de Canada, LTD Garlock China Garlock Singapore Garlock USA Garlock India Private Limited Garlock de Mexico, S.A. De C.V. Garlock New Zealand Garlock Great Britain Limited Garlock Middle East